

Blast Cleaning Technology

A. Momber

Blast Cleaning Technology

With 385 Figures and 169 Tables

 Springer

Andreas Momber
Privatdozent Dr.-Ing. habil.
Hamburg
Germany

ISBN: 978-3-540-73644-8

e-ISBN: 978-3-540-73645-5

Library of Congress Control Number: 2007931617

© 2008 Springer-Verlag Berlin Heidelberg

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilm or in any other way, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer. Violations are liable to prosecution under the German Copyright Law.

The use of general descriptive names, registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Cover design: eStudio Calamar, Girona, Spain

Printed on acid-free paper

9 8 7 6 5 4 3 2 1

springer.com

Contents

| | | |
|----------|--|----|
| 1 | Introduction | 1 |
| 1.1 | Motivation | 1 |
| 1.2 | Introductory Remarks | 1 |
| 1.3 | Blast Cleaning Methods and Applications | 3 |
| 2 | Abrasive Materials | 7 |
| 2.1 | Classification and Properties of Abrasive Materials | 7 |
| 2.2 | Abrasive Material Structure and Hardness | 7 |
| 2.2.1 | Structural Aspects of Abrasive Materials | 7 |
| 2.2.2 | Hardness of Abrasive Materials | 13 |
| 2.3 | Abrasive Particle Shape Parameters | 17 |
| 2.3.1 | Basic Shape Definitions | 17 |
| 2.3.2 | Relative Proportions of Particles | 17 |
| 2.3.3 | Geometrical Forms of Particles | 18 |
| 2.4 | Abrasive Particle Size Distribution and Abrasive Particle Diameter | 24 |
| 2.4.1 | Particle Size Distribution | 24 |
| 2.4.1.1 | General Definitions | 24 |
| 2.4.1.2 | Sieve Analysis | 24 |
| 2.4.1.3 | Particle Size Distribution Models | 25 |
| 2.4.2 | Particle Diameter | 27 |
| 2.4.3 | Alternative Abrasive Particle Size Assessment Methods | 27 |
| 2.5 | Density of Abrasive Materials | 30 |
| 2.6 | Number and Kinetic Energy of Abrasive Particles | 30 |
| 2.6.1 | Abrasive Particle Number and Frequency | 30 |
| 2.6.2 | Kinetic Energy of Abrasive Particles | 31 |
| 2.6.3 | Power Availability | 32 |
| 2.7 | Impurities | 34 |
| 2.8 | Global Abrasive Evaluation Parameter | 36 |
| 2.9 | Process Behaviour of Abrasive Particles | 37 |
| 2.9.1 | Fracture Zones | 37 |
| 2.9.2 | Fracture Probability of Abrasive Particles | 41 |
| 2.9.3 | Effects of Abrasive Material Structure | 45 |
| 2.9.4 | Debris Size | 46 |

| | | |
|----------|--|------------|
| 2.9.5 | Disintegration Numbers | 47 |
| 2.9.6 | Particle Shape Modification During Abrasive Fragmentation | 49 |
| 2.9.7 | Energy Absorption During Abrasive Fragmentation | 51 |
| 2.9.8 | Chemical Degradation | 53 |
| 3 | Air and Abrasive Acceleration | 55 |
| 3.1 | Properties of Compressed Air | 55 |
| 3.2 | Air Flow in Nozzles | 59 |
| 3.2.1 | Air Mass Flow Rate Through Nozzles | 59 |
| 3.2.2 | Volumetric Air Flow Rate | 61 |
| 3.2.3 | Air Exit Flow Velocity in Nozzles | 66 |
| 3.2.4 | Air Flow in Laval Nozzles | 68 |
| 3.2.5 | Power, Impulse Flow and Temperature | 70 |
| 3.3 | Abrasive Particle Acceleration in Nozzles | 72 |
| 3.3.1 | General Aspects | 72 |
| 3.3.2 | Simplified Solution | 75 |
| 3.3.3 | Abrasive Flux Rate | 75 |
| 3.3.4 | Abrasive Particle Spacing | 76 |
| 3.4 | Jet Structure | 77 |
| 3.4.1 | Structure of High-speed Air Jets | 77 |
| 3.4.2 | Structure of Air-particle Jets | 78 |
| 3.4.3 | Design Nozzle Pressure | 80 |
| 3.5 | Composition of Particle Jets | 85 |
| 3.5.1 | Radial Abrasive Particle Distribution | 85 |
| 3.5.2 | Particle Velocity Distribution Function | 85 |
| 3.5.3 | Radial Abrasive Particle Velocity Distribution | 89 |
| 3.5.4 | Area Coverage | 90 |
| 3.5.5 | Stream Density | 90 |
| 3.6 | Parameter Effects on Abrasive Particle Velocity | 94 |
| 3.6.1 | Effects of Air Pressure on Particle Velocity | 94 |
| 3.6.2 | Effects of Abrasive Mass Flow Rate on Particle Velocity | 94 |
| 3.6.3 | Effects of Abrasive Particle Size on Particle Velocity | 97 |
| 3.6.4 | Effects of Abrasive Particle Shape on Particle Velocity | 100 |
| 3.6.5 | Effects of Abrasive Material Density on Particle Velocity | 100 |
| 3.6.6 | Effects of Stand-off Distance on Particle Velocity | 101 |
| 3.6.7 | Effects of Nozzle Length and Nozzle Diameter on Particle Velocity | 103 |
| 3.6.8 | Effects of Nozzle Design on Particle Velocity | 103 |
| 3.6.9 | Effects of Nozzle Wall Roughness on Particle Velocity | 104 |
| 3.6.10 | Scaling Laws for Abrasive Particle Velocity | 105 |
| 3.7 | Abrasive Stream Energy Flow and Nozzle Efficiency | 107 |
| 4 | Blast Cleaning Equipment | 109 |
| 4.1 | General Structure of Blast Cleaning Systems | 109 |
| 4.2 | Air Compressors | 109 |

- 4.2.1 General Aspects 109
- 4.2.2 Working Lines 111
- 4.2.3 Power Rating 112
- 4.2.4 Economic Aspects 114
- 4.2.5 Aspects of Air Quality 116
- 4.3 Blast Machine 118
 - 4.3.1 Basic Parts 118
 - 4.3.2 Abrasive Metering 119
 - 4.3.2.1 Effects of Process Parameters 119
 - 4.3.2.2 Metering Models 124
 - 4.3.2.3 Abrasive Mass Flow Adjustment 127
- 4.4 Pressure Air Hose Lines 128
 - 4.4.1 Materials and Technical Parameters 128
 - 4.4.2 Air Hose Diameter Selection 129
 - 4.4.3 Pressure Drop in Air Hose Lines 130
 - 4.4.3.1 General Approach 130
 - 4.4.3.2 Friction Numbers 132
 - 4.4.3.3 Hose Diameter Effects 136
 - 4.4.3.4 Pressure Drop in Fittings and Armatures 137
- 4.5 Abrasive Hose Lines 138
 - 4.5.1 Conveying Modes in Abrasive Hoses 138
 - 4.5.2 Critical Conveying Flow Velocities in Abrasive Hoses 140
 - 4.5.3 Optimum Flow Velocities in Abrasive Hoses 145
 - 4.5.4 Pressure Drop in Abrasive Hoses 147
- 4.6 Nozzles 154
 - 4.6.1 Nozzle Types 154
 - 4.6.2 Nozzle Wear 155
 - 4.6.2.1 Fundamentals of Nozzle Wear 155
 - 4.6.2.2 Parameter Effects on Nozzle Wear 161
 - 4.6.2.3 Wear Performance of Laminated Ceramic Nozzles .. 164
- 5 Substrate and Coating Erosion 167**
 - 5.1 Introduction 167
 - 5.2 Mechanical Properties of Oxides and Organic Coatings 167
 - 5.2.1 Relevant Mechanical Properties 167
 - 5.2.2 Mechanical Properties of Oxides 174
 - 5.2.2.1 Deformation Parameters 174
 - 5.2.2.2 Hardness 174
 - 5.2.2.3 Adhesion Parameters 174
 - 5.2.3 Mechanical Properties of Organic Coatings 175
 - 5.2.3.1 Deformation Parameters 175
 - 5.2.3.2 Hardness 177
 - 5.2.3.3 Fracture Mechanics Parameters 181

| | | |
|----------|--|------------|
| 5.3 | Impact Processes | 182 |
| 5.3.1 | Impulse and Energy Considerations | 182 |
| 5.3.2 | Coefficient of Restitution | 182 |
| 5.3.3 | Energy Absorption | 185 |
| 5.3.4 | Damage Number | 189 |
| 5.3.5 | Friction Effects | 191 |
| 5.4 | Material Loading Due to Solid Particle Impingement | 192 |
| 5.4.1 | Loading Parameters | 192 |
| 5.4.2 | Material Response to Particle Impingement | 194 |
| 5.4.3 | Formation of Radial and Lateral Cracks | 196 |
| 5.5 | Material Removal Models | 200 |
| 5.5.1 | General Aspects of Modelling | 200 |
| 5.5.2 | Erosion of Plastically Responding Materials | 201 |
| 5.5.3 | Erosion of Elastically Responding Materials | 205 |
| 5.6 | Erosion of Scale | 206 |
| 5.6.1 | Brittle Erosion Approach | 206 |
| 5.6.2 | Removal Mechanisms and Modelling | 207 |
| 5.6.3 | Removableness of Mill Scale | 209 |
| 5.7 | Erosion of Bulk Polymers and Elastomers | 210 |
| 5.7.1 | Material Removal Mechanisms for Bulk Polymers | 210 |
| 5.7.2 | Material Removal Mechanisms for Elastomers | 213 |
| 5.7.3 | Erosion Resistance of Bulk Polymers | 214 |
| 5.7.4 | Erosion Resistance of Elastomers | 217 |
| 5.8 | Erosion of Organic Coatings | 221 |
| 5.8.1 | Material Removal Mechanisms | 221 |
| 5.8.2 | Erosion Resistance | 223 |
| 5.8.3 | Erosion Durability | 228 |
| 5.9 | Debonding of Organic Coatings | 229 |
| 5.9.1 | Indentation Debonding | 229 |
| 5.9.2 | Impact Debonding | 233 |
| 5.10 | Coating Removal Models | 236 |
| 5.10.1 | Ploughing/Delamination Model | 236 |
| 5.10.2 | Debonding Model | 237 |
| 5.10.3 | Effects of a Second Phase in the Coating | 239 |
| 6 | Surface Preparation Process | 241 |
| 6.1 | Definition of Process and Target Parameters | 241 |
| 6.1.1 | Process Parameters | 241 |
| 6.1.2 | Target Parameters | 242 |
| 6.2 | Effects of Pneumatic Parameters | 243 |
| 6.2.1 | Effects of Air Pressure | 243 |
| 6.2.2 | Effects of Nozzle Diameter and Nozzle Length | 249 |
| 6.2.3 | Effects of Nozzle Design | 251 |

- 6.3 Effects of Performance Parameters 256
 - 6.3.1 Effects of Stand-off Distance 256
 - 6.3.2 Effects of Relative Particle Distance 259
 - 6.3.3 Effects of Impact Angle 259
 - 6.3.4 Effects of Exposure Time 261
 - 6.3.5 Effects of Number of Passes 263
- 6.4 Effects of Abrasive Parameters 264
 - 6.4.1 Effects of Abrasive Mass Flow Rate 264
 - 6.4.2 Effects of Abrasive Flux Rate 268
 - 6.4.3 Effects of Abrasive Particle Diameter 270
 - 6.4.4 Effects of Abrasive Particle Shape 277
 - 6.4.5 Effects of Abrasive Material Hardness 279
- 6.5 Removal Models 281
- 6.6 Efficiency of Blast Cleaning 283
 - 6.6.1 Erosion Efficiency 283
 - 6.6.2 General Aspects of Process Efficiency 284
 - 6.6.3 Aspects of Site Management 286
 - 6.6.4 Aspects of Operators' Fatigue 287
- 6.7 Weld Seam Cleaning 289
- 6.8 Underwater Applications 290
- 6.9 Cost Aspects 292
- 7 Health, Safety and Environment 295**
 - 7.1 Safety Features of Blast Cleaning 295
 - 7.1.1 General Safety Aspects 295
 - 7.1.2 Risk of Explosion 296
 - 7.2 Emission of Air Sound 297
 - 7.3 Emission of Body Sound 301
 - 7.4 Emission of Dust 302
 - 7.5 Emission of Airborne Metals 310
 - 7.5.1 Airborne Lead 310
 - 7.5.2 Other Airborne Metals 314
 - 7.6 Emission of Minerals and Organic Compounds 316
 - 7.6.1 Asbestos Fibres 316
 - 7.6.2 Organic Compounds 317
 - 7.7 Vibrations to the Operator 318
 - 7.8 Personal Protective Equipment 320
 - 7.9 Confined Spaces 321
 - 7.10 Soil Contamination 324
 - 7.11 Waste Disposal 325
 - 7.11.1 General Disposal Problems 325
 - 7.11.2 Abrasive Material Disposal 328
 - 7.11.3 Contamination of Abrasive Material and Leachable Metals . . . 331
 - 7.11.4 Paint Waste 332

| | | |
|----------|--|------------|
| 7.12 | Recycling of Abrasive Materials | 333 |
| 7.12.1 | Contamination with Residue | 333 |
| 7.12.2 | Use for Construction Materials | 334 |
| 8 | Surface Quality Aspects | 337 |
| 8.1 | Surface Quality Features | 337 |
| 8.2 | Visual Cleanliness | 338 |
| 8.2.1 | Visual Standards | 338 |
| 8.2.2 | Initial Conditions | 339 |
| 8.2.3 | Preparation Grades | 341 |
| 8.2.4 | Special Remarks | 346 |
| 8.3 | Dissolved Substances | 349 |
| 8.3.1 | Definitions and Measurement | 349 |
| 8.3.2 | Effects of Dissolved Substances on Coating Performance . . . | 351 |
| 8.3.3 | Substrate Cleanliness After Blast Cleaning | 357 |
| 8.4 | Organic Films | 362 |
| 8.4.1 | Definitions and Measurement | 362 |
| 8.4.2 | Effects of Oil and Grease on Coating Performance | 363 |
| 8.4.3 | Substrate Cleanliness After Blast Cleaning | 366 |
| 8.5 | Dust and Embedded Abrasive Particles | 367 |
| 8.5.1 | Definitions and Measurement | 367 |
| 8.5.2 | Effects of Dust and Particle Embedment on Coating Performance | 370 |
| 8.5.3 | Substrate Cleanliness After Blast Cleaning | 374 |
| 8.5.4 | Fine Cleaning | 379 |
| 8.6 | Roughness and Profile of Substrates | 380 |
| 8.6.1 | Definitions and Measurement | 380 |
| 8.6.2 | Effects of Roughness on Coating Performance | 384 |
| 8.6.3 | Profile Parameters of Blast Cleaned Metal Substrates | 394 |
| 8.6.3.1 | Introduction | 394 |
| 8.6.3.2 | Effects of Blasting Angle | 395 |
| 8.6.3.3 | Effects of Stand-off Distance | 396 |
| 8.6.3.4 | Effects of Air Pressure and Abrasive Particle Velocity | 397 |
| 8.6.3.5 | Effects of Abrasive Particle Size and Shape | 399 |
| 8.6.3.6 | Effects of Abrasive Material Hardness | 404 |
| 8.6.3.7 | Effects of Specific Abrasive Rate | 404 |
| 8.6.3.8 | Effects of Blasting Time | 405 |
| 8.6.3.9 | Effects of Substrate Material | 406 |
| 8.6.3.10 | Effects of Surface Preparation Grade | 408 |
| 8.6.3.11 | Effects of Accessibility | 408 |
| 8.6.3.12 | Statistical Assessment Models | 408 |
| 8.6.4 | Height Distribution Parameters | 409 |
| 8.6.5 | Profiles of “Overblasted” Steel Substrates | 409 |

- 8.7 Surface Integrity 413
 - 8.7.1 Introduction 413
 - 8.7.2 Substrate Hardness 414
 - 8.7.3 Residual Stresses 417
 - 8.7.4 Substrate Fatigue Strength 420
 - 8.7.5 Substrate Deformation Behaviour 423
 - 8.7.6 Substrate Deflection 423
 - 8.7.7 Tribological Parameters 423
 - 8.7.8 Weld Seam Morphology 425
 - 8.7.9 Near-surface Layer Chemical Composition 425
 - 8.7.10 Corrosion Resistance 429
- 8.8 Surface Energy and Work of Adhesion 434
 - 8.8.1 Definitions and Measurement 434
 - 8.8.2 Effects of Substrate Surface Energy on Corrosion and Coating Performance 437
 - 8.8.3 Surface Energies of Blast Cleaned Substrates 438
- 8.9 Wettability of Metal Substrates 441
 - 8.9.1 Definitions and Measurement 441
 - 8.9.2 Effects of Wettability on Coating Performance 445
 - 8.9.3 Wettability of Blast Cleaned Metal Substrates 447
- 8.10 Electron Transport Properties 451
- 9 Coating Performance 453**
 - 9.1 Corrosion Protection Performance of Organic Coatings 453
 - 9.1.1 Definitions and Methods 453
 - 9.1.2 Coating Performance After Blast Cleaning 456
 - 9.1.2.1 Introduction 456
 - 9.1.2.2 Coating Delamination 458
 - 9.1.2.3 Degree of Rusting 462
 - 9.1.2.4 Degree of Blistering 463
 - 9.2 Adhesion and Adhesion Strength 464
 - 9.2.1 Definitions and Measurement 464
 - 9.2.1.1 Definitions 464
 - 9.2.1.2 Adhesion Measurement 465
 - 9.2.2 Adhesion of Coatings and Adhesives to Metal Substrates 468
 - 9.2.3 Blast Cleaning Parameters Effects on Adhesion 483
 - 9.2.3.1 Effects of Blasting Angle 483
 - 9.2.3.2 Effects of Abrasive Type, Size and Shape 483
 - 9.2.3.3 Effects of Air Pressure 488
 - 9.2.3.4 Effects of Stand-off Distance 488
 - 9.2.3.5 Statistical Assessment Models 488
 - 9.3 Mechanical Behaviour of Coatings 489
 - 9.4 Corrosion Protection Performance of Coatings 492
 - 9.5 Deposition and Transport Phenomena 494
 - 9.6 Wire Embedment in Polymer Matrices 495

- 9.7 Coating Formation Processes 496
 - 9.7.1 Spreading and Splashing 496
 - 9.7.2 Powder Solidification 498
 - 9.7.3 Nucleation Processes 499
- References** 501
- List of Symbols** 529
- Index** 537